


AXOR Citterio
Single lever kitchen mixer 230 with pull-out spout EcoSmart
 Finish: **Brushed Black Chrome** Article Number: **39864340**



product features

- ComfortZone 230
- swivel range adjustable in 2 steps to 110° or 150°
- normal spray
- Select button for a comfortable start/stop of the water flow
- MagFit magnetic shower support
- connection dimension: DN15
- maximum flow rate at 3 bar: 5 l/min
- ceramic cartridge
- connection type: G 3/8 connections
- temperature limitation adjustable
- integrated non-return valve
- suitable for continuous flow water heaters
- extension length up to 50 cm
- EU taxonomy: max. 6 l/min - Substantial Contribution (SC) possible


Technology



Product image




Scale drawing



AXOR Citterio
Single lever kitchen mixer 230 with pull-out spout EcoSmart
Finish: **Brushed Black Chrome** Article Number: **39864340**



Flowchart




AXOR Citterio
Single lever kitchen mixer 230 with pull-out spout EcoSmart
 Finish: **Brushed Black Chrome** Article Number: **39864340**



Exploded Drawing

Year of production: >10/22



AXOR Citterio
Single lever kitchen mixer 230 with pull-out spout EcoSmart
 Finish: **Brushed Black Chrome** Article Number: **39864340**



Spare part list

Year of production: >10/22

Pos.		Article Number	PC	PU
1	spout cpl.	92583340	62	1
2	O-ring 8x2	98112000	1	1
3	handspray	93562340	0	-
4	cover	92566340	55	1
5	O-ring 19x1,5	95962000	1	1
6	nut	92567000	6	1
7	shut off unit	98463000	10	1
8	aerator M24x1 (5 l/min)	13185340	56	1
9	set of lever collars	98365000	3	1
10	O-ring 21x2,5	98211000	1	1
11	handle	39891340	64	1
12	hollow set screw M6x10 DIN 916	96029000	1	1
13	screw cover	96338000	1	1
14	flange	98603340	57	1
15	nut	96461000	8	1
16	O-Ring 32x2	98193000	1	1
17	cartridge, assy	95646001	13	1
18	seal	95008000	3	1
19	weight	92500000	9	1
20	hose 1,50 m	92569000	12	1
21	squeezing connection	96099000	3	1
22	connection hose 600 mm M10x1	92568000	11	1
23	O-ring 8x1,75	97827000	1	1
24	support	97523000	2	1
25	fixing set (Ø 34)	95049000	5	1
26	lever collar	97548000	1	1
27	connection hose 900 mm M8x0,75 G3/8	95372000	8	1
28	O-ring 7x1,5	98422000	1	1
29	non return valve DW 10	96456000	3	1
30	filter packing	95291000	4	1
a	Grease	90920000	5	1